

## JB-1A Mini Magnetic Stirrer



### Features

Simple and interesting mini magnetic stirrer, using an electrical motor spins the magnet modules, stirring speed from 0 to 1250 rpm.

### Specifications

Model	JB-1A
Stirring Volume	0~2000 mL
Stirring Speed	0~1250 rpm
Top Plate Size	Ø145 mm
Top Plate Material	PC
Stir Bar Size	30(L)×7(Ø)mm
Power Requirements	AC 220V/50Hz
Dimensions	185(Ø)×75(H)mm
Weight	0.6 kg

## MS Series Hotplate Magnetic Stirrer



### Features

- High-performance hotplate magnetic stirrer comes with a temperature probe
- Large LCD display clearly shows the timer, temperature and running status
- Automatic constant temperature through a connected sensor
- 1 point offset calibration ensures the accurate temperature control
- Push-button speed control effectively prevents hot liquids from splashing and potentially harming the operator
- Adjustable heating temperature, stirring times and speeds

### Ordering Information

- MS200: Stirrer, stir bar
- MS300/400: Stirrer, stir bar, temperature probe, stand set

### Specifications

Model	MS200	MS300	MS400
Stirring Volume	0~2000 mL		
Stirring Speed	0~1250 rpm		
Heater	—	380W	450W
Hotplate Temperature	—	Max. 300°C	Max. 400°C
Timer Range	Up to 999 minutes		
Top Plate Size	135(L)×135(W)mm		
Top Plate Material	Stainless steel		
Display	Custom LCD (95×35 mm)		
Power Requirements	AC 220V/50Hz		
Environmental Conditions	< 50°C, relative humidity < 80%		
Dimensions	230(L)×180(W)×120(H)mm		
Weight	2.2 kg		

# MS400C Hotplate Magnetic Stirrer



## Features

- Ceramic coated top plate is easy to clean
- Large LCD display clearly shows the running time, temperature and stirring speed
- Push-button speed control prevents the stir bar from accidentally stalling
- External temperature sensor controls the heater to either heat up or maintain the temperature at the set value
- Single point temperature calibration

## Specifications

Model	MS400C
Stirring Volume	0-2000 mL
Stirring Speed	0-2500 rpm
Heater	300W
Hotplate Temperature	Max. 300°C
Timer Range	Up to 999 minutes
Top Plate Size	135 (L) × 135 (W) mm
Top Plate Material	Ceramic coating
Display	Custom LCD (95 × 35 mm)
Power Requirements	AC 220V/50Hz
Environmental Conditions	< 50°C, relative humidity < 80%
Dimensions	230 (L) × 180 (W) × 120 (H) mm
Weight	2.2 kg



## Ordering Information

MS400C: Stirrer, stir bar, temperature probe, stand set